

Papers on combinatorial chemistry or solid-phase synthesis from other journals – March 2000

Efficient discovery of inhibitory ligands for diverse targets from a small combinatorial chemical library of chimeric molecules. Thorpe, D.S.; Chan, A.W.; Binnie, A.; Chen, L.C.; Robinson, A.; Spoonamore, J.; Rodwell, D.; Wade, S.; Wilson, S.; Ackerman-Berrier, M.; Yeoman, H.; Walle, S.; Wu, Q.; Wertman, K.F. *Biochem. Biophys. Res. Commun.* (1999), 266(1), 62-65.

Development and characterization of novel potent and stable inhibitors of endopeptidase EC 3.4.24.15. Shrimpton, C.N.; Abbenante, G.; Lew, R.A.; Smith, A.I. *Biochem. J.* (2000), 345(2), 351-356.

Use of genomics and combinatorial chemistry in the development of new antimycobacterial drugs. Barry, C.E.; Slayden, R.A.; Sampson, A.E.; Lee, R.E. *Biochem. Pharmacol.* (1999), 59(3), 221-231.

Solid-phase SNAr macrocyclizations to give turn-extended-turn peptidomimetics. Feng, Y.; Burgess, K. *Chem.-Eur. J.* (1999), 5(11), 3261-3272.

A facilitated cyclic ether formation and its potential application in solid-phase peptide and organic synthesis. Shan, D.; Zheng, A.; Ballard, C.E.; Wang, W.; Borchardt, R.T.; Wang, B. *Chem. Pharm. Bull.* (2000), 48(2), 238-244.

Recent advances in the solid phase synthesis of drug-like heterocyclic small molecules. Andres, C.J.; Denhart, D.J.; Deshpande, M.S.; Gillman, K.W. *Comb. Chem. High Throughput Screening* (1999), 2(4), 191-210.

Recent advances in liquid-phase combinatorial chemistry. Sun, C-M. *Comb. Chem. High Throughput Screening* (1999), 2(6), 299-318.

A multiple electrospray interface for parallel mass spectrometric analyses of compound libraries. Wang, T.; Zeng, L.; Cohen, J.; Kassel, D.B. *Comb. Chem. High Throughput Screening* (1999), 2(6), 327-334.

Demonstration of the strength of focused combinatorial libraries in SAR optimisation of growth hormone secretagogues. Ankersen, M.; Hansen, B.S.; Hansen, T.K.; Lau, J.; Peschke, B.; Madsen, K.; Johansen, N.L. *Eur. J. Med. Chem.* (1999), 34(10), 783-790.

Investigation of SAR requirements of SR 142801 through an indexed combinatorial library in solution. Raveglia, L.F.; Vitali, M.; Artico, M.; Graziani, D.; Hay, D.W.P.; Luttmann, M.A.; Mena, R.; Pifferi, G.; Giardina, G.A.M. *Eur. J. Med. Chem.* (1999), 34(10), 825-835.

Parallel synthesis of alkyl tetrazole derivatives using solid support chemistry. Matthews, D.P.; Green, J.E.; Shuker, A.J. *J. Comb. Chem.* (2000), 2(1), 19-23.

Preparation of trifluoromethylpyridine libraries. Shestopalov, A.M.; Kislyi, V.P.; Kruglova, E.Y.; Nikishin, K.G.; Semenov, V.V.; Buchanan, A.C.; Gakh, A.A. *J. Comb. Chem.* (2000), 2(1), 24-28.

N-Arylation of sulfonamides on solid supports. Combs, A.P.; Rafalski, M. *J. Comb. Chem.* (2000), 2(1), 29-32.

Kinetic comparison of trifluoroacetic acid cleavage reactions of resin-bound carbamates, ureas, secondary amides, and sulfonamides from benzyl-, benzhydryl-, and indole-based linkers. Yan, B.; Nguyen, N.; Liu, L.; Holland, G.; Raju, B. *J. Comb. Chem.* (2000), 2(1), 66-74.

Preparation of designer resins via living free radical polymerization of functional monomers on solid support. Hodges, J.C.; Harikrishnan, L.S.; Ault-Justus, S. *J. Comb. Chem.* (2000), 2(1), 80-88.

High-loading resin beads for solid phase synthesis using triple branching symmetrical dendrimers. Fromont, C.; Bradley, M. *JCS Chem. Commun.* (2000), (4), 283-284.

Polymer-supported cobalt carbonyl complexes as novel solid-phase catalysts of the Pauson-Khand reaction. Comely, A.C.; Gibson, S.E.; Hales, N.J. *JCS Chem. Commun.* (2000), (4), 305-306.

Solid phase organic chemistry: how to arrive at the best results. Hermkens, P.H.H.; Van Tilborg, M.C. A. *J. Heterocycl. Chem.* (1999), 36(6), 1595-1597.

Investigation of subsite preferences in aminopeptidase A (EC 3.4.11.7) led to the design of the first highly potent and selective inhibitors of this enzyme. David, C.; Bischoff, L.; Meudal, H.; Mothe, A.; De Mota, N.; DaNascimento, S.; Llorens-Cortes, C.; Fournie-Zaluski, M-C.; Roques, B.P. *J. Med. Chem.* (1999), 42(25), 5197-5211.

Solid-phase synthesis of novel heterocycles containing thiohydantoin and isoxazole rings. Park, K-H.; Kurth, M.J. *J. Org. Chem.* (1999), 64(25), 9297-9300.

Replacement of the phosphodiester linkages of RNA with guanidinium linkages: the solid-phase synthesis of ribonucleic guanidine. Kojima, N.; Bruice, T.C. *Org. Lett.* (2000), 2(1), 81-84.

Inhibition of gene expression in human cells through small molecule-RNA interactions. Hwang, S.; Tamilarasu, N.; Ryan, K.; Huq, I.; Richter, S.; Still, W.C.; Rana, T.M. *Proc. Natl. Acad. Sci. USA.* (1999), 96(23), 12997-13002.

Radical reaction of phenylsulfonyl oxime ethers on solid support. Application to the synthesis of α -amino esters. Jeon, G-H; Yoon, J-Y.; Kim, S.; Kim, S.S. *Synlett* (2000), (1), 128-130.

Covalent scavengers for primary and secondary amines. Hodges, J.C. *Synlett* (2000), (1), 152-158.